



Product Code: PS-AMDI70-005-FAN

EVO[®] VISTAshield[®] Micro Peak Revolution[®] Wheel Ratchet - Vented



STANDARDS

- ANSI/ISEA Z87.1 Type I
- AS/NZS 1801
- AS/NZS 1337

FEATURES

- Integrated face protection: Retractable faceshield for instant use.
- Optical clarity: Class 1 shield gives clear, low-distortion vision.
- High impact rating: A-rated protection, even in extreme temperatures.
- Easy operation: Faceshield deploys, adjusts, and retracts easily.
- Safety cell design: Prevents debris ricochet and scalp contact.
- Full face coverage: Compact, adjustable shield allows free movement.
- PPE compatible: Works with respirators, ear defenders, and other gear.
- Secure attachments: Built-in points for accessories and ID holder.
- Comfort harness: Cradles head, wheel ratchet reduces pressure.
- Sweatband support: Cotton band improves comfort during use.
- Ventilated design: Dual vents reduce heat by 2–3°C on average.
- Durable shield coating: Anti-mist, anti-scratch, and UV protection.
- Custom branding: Logo printing supports identity and theft deterrence.



SPECIFICATIONS

	Peak Micro		Impact Resistance 50 Joules
	EN 50365 ELECTRICAL INSULATION 1000V		Ventilation Yes
	Molten Metal Yes		Lateral Deformation Yes
	Minimum Temperature -40 °C		Maximum Temperature +50°C
	Recyclable Shell		ABS Shell Yes
	Depth Adjustment 3DHarness		Textile Harness
	Universal Accessories Slot Yes		Wheel Ratchet Yes
	BSI Kitemark Yes		BSI Kitemark Yes
	RADIATION PROTECTION BREAKDOWN filtering effect Scale Number 2C		LIGHT TRANSMISSION BREAKDOWN Lens Shade number 1.2
	Manufacturer's Trademark JSPDagger		Optical Class Class 1 – High quality for regular use.
	Medium Energy Impact resists a 6 mm, 0.86g ball @ 120 m/s Maximum protection for goggles. A		The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures. (-5°C and +55°C) Optional T
	Resistance to Surface Damage by Fine Particles (optional) K		Resistance to fogging (optional) N
	Lens Length 13cm		Product Weight 521g

APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Construction and Infrastructure

Utilities Contractors

Hospitals, Healthcare & Pharmaceuticals

